## EBA 270

# Superior seperation results in medical applications

The EBA 270 is a small centrifuge with a built-in swing-out rotor that has been developed specifically for use in clinical settings. It can centrifuge blood tubes and urine tubes up 15 ml in volume at a maximum speed of 4,000 RPM / 2,254 RCF. Its 90° rotor is ideally suited for spinning blood tubes containing a separating gel.

#### - FEATURES

- Max. RPM: 500 4,000 min<sup>-1</sup> adjustable in increments of 100
- Max. RCF: 2,254
- Max. capacity: 6 x 15 ml
- Small centrifuge including 6-place swing-out rotor
- Compact design
- IVDR-conform according to regulation (EU) 2017/746
- Maximum noise level of ≤ 51 dB(A)
- Impulse key for short cycle mode
- 1 acceleration and 2 deceleration stages
- Easy operation with keypad



Centrifuge packages for the model can be found on page 21



More information about the control panel can be found on page 202

#### - FIELDS OF APPLICATION

- Small laboratories
- Physician's Office Laboratory (POL)
- Hospitals









#### - TECHNICAL DATA

	EBA 270						
voltage *)	200 – 240 V 1 ~						
frequency	50 – 60 Hz						
consumption	130 VA						
emission, immunity	EN/IEC 61326-1, class B						
max. capacity	6x15 ml						
max. RPM	4,000 min <sup>-1</sup>						
max. RCF	2,254						
running time	1 - 99 min, ∞ continuous run, short cycle mode (impulse button)						
dimensions (WxDxH)	326 x 400 x 239 mm						
weight	approx. 14 kg						
max. noise level	≤ 51 dB (A)						
Cat. No.	2300						
100 – 127 V 1 ~ / 50 – 60 Hz	2300-01						
consumption	125 VA						
emission, immunity	FCC class B						

\*) Other voltages on request.

## - AVAILABLE ROTORS

SWING-OUT ROTORS	angle	max. RPM	max. capacity	Cat. No	page
swing-out rotor, 6-place	90°	4,000 min <sup>-1</sup>	6 x 15 ml	INCLUSIVE	20

## - SWING-OUT ROTOR, 6-PLACE

Rotor max. RPM   max. RCF max. capactiy run up   run down, braked in sec angle   max. noise level Cat. No.	90	00 min <sup>-1</sup>   2 6x15 ml 10   22 0°   51 dB	(A)										100		1
Vessels capacity in ml Ø x L in mm max. RCF <sup>2)</sup> radius in mm Cat. No.	1,359 76	0.5 10.7x46 1,359 76	1.5 11 x 38 1,377 77	1.5 11 x 38 1,377 77 microlit	2 11 x 38 1,377 77 er tubes	2 11 x 38 1,377 77	4 10x88 2,254 126	5 12x75 1,807 101 tub	6 12x82 1,807 101 es <sup>2</sup>	15 17×100 2,254 126	8x66 1,807 101	2.6 – 3.4 13x65 1,807 101 blood coll	2.7 – 3 11x66 1,807 101	4 – 5.5 15x75 2,254 126 urine tubes	4.5 – 5 11 x 92 2,254 126
Adapter boring Ø x L in mm vessels per rotor Cat. No.	+ 1063-6  17.5x80 6  2331-6	+ 1063-6  17.5 x 55  6  2333-6	+ 1063-6  17.5x80 6  2331-6	17.5 x 55 6	+ 1063-6  17.5 x 80 6  2331-6	+ 1063-6  17.5 x 55  6  2333-6	17.5x80 6 2331-6	17.5x55 6 2333-6	17.5x55 6 2333-6	17.5x80 6 2331-6	17.5x55 6 2333-6	17.5x55 6 2333-6	17.5x55 6 2333-6	6	17.5x80 6 2331-6
Vessels capacity in ml Ø x L in mm max, RCF <sup>2</sup> radius in mm Cat. No.	4.9 13x90 2,254 126	7.5 – 10 15/16x92 2,254 126 bloo	10 15 x 102 2,254 126 d collection	1.6 – 7 13/16x75 1,807 101 on / urine	4 - 7 16 x 75 1.807 101 tubes	8.5 – 10 16x100 2,254 126	0								
Adapter boring Ø x L in mm vessels per rotor Cat. No.	17.5x80 6 2331-6	17.5 x 80 6 2331-6	17.5 x 80 6 2331-6	17.5x55 6 2333-6	17,5x55 6 2333-6	17.5x80 6 2331-6									

<sup>2)</sup> Please note that the RCF values indicated refer only to rotor performance. The max. permissible RCF of tubes used should be verified with the individual manufacturers. The max. RCF for glass tubes annotated with footnote 2) is 4,000.



#### PACKAGES

<b>EBA</b>	270	BL	100	) TL	JBE	
COM	IPI F	TE	PA(	CKA	GE	1

COMPLETE PACKAGE 1		number of vessels	volume (mi)	size (mm)	RPIVI	RCF
- 1 x EBA 270 centrifuge	2300	6	1.1 - 7	16 x 75	4,000	1,807
incl. swing-out rotor		6	1,5 - 15	17 x 102	4,000	2,254
- 1 x adapter (set), 1-place - 1 x adapter (set), 1-place	2333-6 2331-6	h	0.5 (Pediatric)	10,7 x 46	4,000	1,359
- 1 v adapter Pediatric (set) 1-nlace	1063-6					



2300SET1

### PRODUCT VIDEOS

Would you like to learn more about this product? Scan the QR Code to visit our YouTube channel:

www.youtube.com/hettichlabtechnology







LABORATORY EQUIPMENT MAINTENANCE, REPAIR, CALIBRATION AND SALES

Established in 1987, Henderson Biomedical is the UK's leading laboratory equipment sales and service provider. Our knowledgeable team can provide you with excellent sales advice on a range of different types of laboratory equipment including centrifuges, refrigerators, freezers and heat sealers.

Henderson Biomedical is also able to provide you with first class after-sales service and calibration of your laboratory equipment. We are an **ISO 17025 (UKAS) accredited calibration test laboratory** and our team of Field Service Engineers cover the whole of the United Kingdom.

Please contact us for more information on the types of equipment we supply and the different after-sales services we can offer.

#### **Henderson Biomedical**

Unit 3, Swan Close Croydon CRO 2DZ United Kingdom

Tel: 020 8663 4610

