


# Biomedical

VTS 258



## VTS 258


### Premium Ultra Low Temperature -86°C Freezer

The ultra low temperature cabinet is designed as a personal freezer for everyday use suitable for storage of sensitive articles such as research samples, chemicals, and viruses where contents must remain changeless.

- 🏆 **Dual compressor system**
- 🏆 **Castors as standard**
- 🏆 **Plug & Play**
- 🏆 **Data logging with USB extraction**



## VTS 258 | Gallery



HENDERSON  
BIOMEDICAL  
www.henderson-biomedical.co.uk

## VTS 258 |

Construction	Value
Dimension	2060x595x633 mm
Dimension inner	1439x440x405 mm
Weight	154 / 140 gross/net
Package weight	15 kg
Material inner cabinet	Stainless steel Kg. gross/net
Material outer cabinet	Painted steel Kg. gross/net
Insulation thickness	80 mm
Type of packaging	Cardboard with a wooden pallet
Mobility	4 x Castors with brakes

## VTS 258 |

Storage ULT	Value
Volume	256 / 237 Gross/net
Cryoboxes "2	144
2 ml vials	14400

## VTS 258 |

Features	Value
Lock	✓
LED light	✓
Battery backup	✓
Porthole	✓
Porthole size	14,5 mm
Dry contact	✓
Door reversibility	—
Vacuum valve	✓
VIP (Vacuum Insulated Panel)	—

## VTS 258 |

Alarms	Value
High / Low temperature	✓
Open door	✓
Power failure	✓
Probe failure	✓

## VTS 258 |

Test	Value
Voltage	220-240 V
Frequency	50 Hz
Max ambient	N/A °C
Max Humidity	N/A %
Test condition	20

## VTS 258 |

Operation	Value
Temperature range	-20 to -86 °C
Uniformity in performance	N/A °C
Pull down time (from test condition to fabric setpoint)	210 Minutes
Hold over time (from fabric SP to 10) empty	85 Minutes
Noise	64 dB
Energy 24 hours	10,3 kWh/24h
Energy year	3775,6 kWh/anno
Instant Power Consumption	N/A kW
Heat Rejection	N/A W
K-Value	N/A W/m <sup>2</sup> k

## VTS 258 |

Cooling components	Value
Refrigerant/amount	Nature R / 172g Type & gram
Number of compressors	1
Variable speed compressor	<input type="radio"/>
Internal air distribution (Type)	Static
Number of probes	2
Defrost	<input type="radio"/>

## VTS 258 |

Controller	Value
Controller	Dixell
Controller type	XW737K
USB Connection	USB
Data connection	MODBUS
Controller abilities	Logging of data & alarms
Controller languages	DK, EN, FR, DE, PL, IT, ES
Log numbers	35000
Temperature graph in controller	<input checked="" type="checkbox"/>



HENDERSON  
BIOMEDICAL  
www.henderson-biomedical.co.uk







***LABORATORY EQUIPMENT MAINTENANCE, REPAIR, CALIBRATION AND SALES***

Established in 1987, Henderson Biomedical is the UK's leading laboratory equipment sales and service provider. Our knowledgeable team can provide you with excellent sales advice on a range of different types of laboratory equipment including centrifuges, refrigerators, freezers and heat sealers.

Henderson Biomedical is also able to provide you with first class after-sales service and calibration of your laboratory equipment. We are an **ISO 17025 (UKAS) accredited calibration test laboratory** and our team of Field Service Engineers cover the whole of the United Kingdom.

Please contact us for more information on the types of equipment we supply and the different after-sales services we can offer.

**Henderson Biomedical**

Unit 3, Swan Close  
Croydon CR0 2DZ  
United Kingdom

**Tel: 020 8663 4610**

**For sales enquiries: [sales@henderson-biomedical.co.uk](mailto:sales@henderson-biomedical.co.uk)**  
**For all other enquiries: [info@henderson-biomedical.co.uk](mailto:info@henderson-biomedical.co.uk)**  
**[www.henderson-biomedical.co.uk](http://www.henderson-biomedical.co.uk)**

